

A Landowner's Manual Managing Agricultural Irrigation Drainage Water:

A guide for developing Integrated On-Farm Drainage Management systems

Developed for the
State Water Resources Control Board
by the
Westside Resource Conservation District
in conjunction with the
Center for Irrigation Technology,
California State University, Fresno

"Funding for this project has been provided in part by the U.S. Environmental Protection Agency (USEPA) pursuant to Assistance Agreement No. C998998901-0 and any amendments thereto which has been awarded to the State Water Resources Control Board (SWRCB) for the implementation of California's Nonpoint Source Pollution Control Program. The contents of this document do not necessarily reflect the views and policies of the USEPA or the SWRCB, nor does mention of trade names or commercial products constitute endorsement or recommendation for use."

Dedication

This drainage management manual is dedicated to the memory of Frank Menezes, who passed away in 2001.

Frank was a valuable asset to the San Joaquin Valley's Westside agricultural community, focusing on salinity and drainage management – in particular, development of the Integrated On-Farm Drainage Management system.

Frank's technical knowledge, practical understanding of farmers' and ranchers' needs, and warm and engaging manner made him one of the Westside's most respected and beloved individuals. Because of his tireless efforts in helping develop and implement IFDM systems on Red Rock Ranch and at other sites, this publication is dedicated to Frank Menezes.

Acknowledgements

This manual would not be possible were it not for the help, support and guidance of the following people and their affiliations:

Center for Irrigation Technology

Tim Jacobsen
Lisa Basinal
Marilyn Creel

California State University, Fresno

Sharon Benes
Florence Cassel-Sharmasarkar
Derek Dormedy
Dave Goorahoo

California Department of Water Resources

Kathleen Buchnoff
Vashek Cervinka
Jose Faria
Gerald Hatler
Charyce Taylor
Julie Vance
John Shelton
Manucher Alemi
Ray Hoagland
Holly Jo Ferrin
Tony Lam
Donald Woodson
Charles Blalock

MFG, Inc.

Mike Tietze
Nettie Drake, B&N Enterprises
Bill Bazlen

Westside Resource Conservation District

Morris "Red" Martin
Sarge Green

U.S. Department of Agriculture-Natural Resources Conservation Service

Clarence Finch (retired)
Kerry Arroues
Dave Krietemeyer
Raul Ramirez USDA

Hudson•Orth Communications

Liz Hudson
Shelley Orth

U.S. Department of Agriculture-Agriculture Research Station

Jim Ayers
Catherine Grieve
James Poss

California Department of Food and Agriculture

Matt Reeve

California Department of Fish and Game

Andy Gordus

University of California, Davis

Steve Grattan
Bryan Jenkins
Kenneth Tanji (retired)

University of California, Riverside

John Letey

Although many people contributed to the production of this drainage manual, two people must be recognized for their longtime commitment to the development of Integrated On-Farm Drainage Management systems.

Since 1985, Dr. Vashek Cervinka, of the Department of Water Resources, and Morris A. "Red" Martin, of the Westside Resources Conservation District, have been major forces in the development of agroforestry and on-farm drainage reuse to help manage salinity and shallow groundwater levels. Their early efforts and institutional knowledge of salinity and drainage on Westside soils — much of it documented in this manual — provides farmers with a viable option to ensure continued production of high quality food and fiber crops.

Acknowledgements

Red Rock Ranch

John Diener

State Water Resources Control Board

Wayne Verrill
Khoban Kochai

**Central Valley Regional Water Quality
Control Board**

Anthony Toto
Lonnie Wass

AndrewsAg, Inc.

Michael Andrews

U.S. Bureau of Reclamation

Mike Delamore

Westlands Water District

Jerry Robb

Broadview Water District

David Cone

Provost and Pritchard

Eric Abrahamsen

Boyle Engineering

Ken Swanson

Tulare Lake Drainage District

Doug Davis

The authors of Chapter 6 wish to acknowledge the hard work of Cynthia Eroh and James Bartram who conducted fieldwork that provided information for this chapter. Also, the authors express appreciation to Dr. Vashek Cervinka, Clarence Finch, and the late-Frank Menezes, who were involved in the initial plant selection for drainage water reuse projects. Gratitude also is extended to the funding agencies, California State University (CSU) Agricultural Research Initiative (ARI) and the Proposition 204 Agricultural Drainage Reuse Program administered by the California Department of Water Resources. Earlier support was provided by a grant from the USDA National Research Initiative Water Resources Assessment and Protection program.

Table of Contents

Chapter 1: General Information

Introduction.....	1-1
This manual	1-2
History	1-2

Chapter 2: Salt Management Using IFDM

Introduction.....	2-1
Land Retirement	2-1
Drainage Water Reuse	2-1
What is an IFDM System and How Does It Work?	2-2
Components of an IFDM System	2-3
Solar Evaporator.....	2-4
Site Evaluation & Considerations.....	2-5
Climatology	2-6
Groundwater	2-6
Regional Groundwater Flow	2-6
Soil	2-7
Farm Area	2-8
Subsurface Drainage System	2-8
Water Management & Monitoring.....	2-8
Crop and Tree Areas	2-12
System Operation & Maintenance	2-13
Future Investigations	2-14

Chapter 3: Monitoring, Recordkeeping and Reporting

Introduction.....	3-1
Data Quality	3-1
Monitoring and Reporting Program	3-1
Reporting Requirements	3-4

Chapter 4: The Impact of Geology and Soils in Salt Management

Introduction.....	4-1
Soils of the Westside – geography and geology	4-1

Chapter 5: Drainage Water Characteristics

Introduction.....	5-1
Units of measurement	5-1
Characteristics of agriculture drainage waters	5-1

Chapter 6: Plant Selection for IFDM

Introduction.....	6-1
Considerations for Proper Plant Selection	6-1
Field crops and vegetables	6-4
Salt-tolerant forages	6-6
Halophytes	6-10
Trees	6-12
Conclusion	6-13

Managing Agricultural Irrigation Drainage Water

Chapter 7: Drainage Water and its Effect on Wildlife Resources

Introduction	7-1
Laws that address wildlife issues	7-1
Constituents of concern	7-2
Water quality objectives	7-4
Biological sampling	7-4

Chapter 8: IFDM Economics

Introduction	8-1
Cost Breakdown	8-1
Funding Sources	8-2

Chapter 9: Laws and Regulations

Introduction	9-1
Questions That Should be Answered Before Proceeding with the Project	9-1
Regulatory Requirements	9-2
Environmental Evaluation Resources	9-6
Answers to the Most Common Questions Concerning the Solar Evaporator Regulations	9-7

References

R-1

Appendix

A-1

Glossary

Glossary-1

List of Tables

Chapter 2:

Table 1: An example of monthly weather data available from CIMIS	Page 2-6
Table 2: Estimated size of the solar evaporator	Page 2-11
Table 3: Water applied to solar evaporator (time required per day @ 250 gpm/acre)	Page 2-12

Chapter 5:

Table 1: Conversion factors for drainage waters in the San Joaquin Valley	Page 5-3
Table 2: Irrigation guideline limits for various constituents and water quality targets for wildlife	Page 5-4
Table 3: Composition of drainage water used to irrigate salt-tolerant forages and halophytes in drainage water reuse projects on the Westside of the San Joaquin Valley.....	Page 5-5

Chapter 6:

Table 1: Drainage water constituents having potential impacts on plants, soil structure, migratory waterfowl and wildlife, ruminant animals, and groundwater or surface water	Page 6-1
Table 2: Comparison of salinity tolerance and profit potential for various plants in an IFDM system	Page 6-2
Table 3: Soil salinity threshold (ECe)	Page 6-3
Table 4: Example of Maas Hoffman salinity tolerance coefficients and slopes for field crops and vegetables (Maas & Grattan, 1999)	Page 6-4
Table 5: The maximum percent of saline water (4 to 10 dS/m) that can be mixed with non-saline irrigation water (0.8dS/m) to achieve a yield potential of 100% and 80% for selected crops that vary in salt tolerance. Estimates assume a leaching fraction of 25% (Dinar and Letey).	Page 6-5
Table 6: Comparison of salt tolerant forages	Page 6-7
Table 7: Forage quality for Jose Tall Wheatgrass growing at Red Rock Ranch	Page 6-8
Table 8: Comparison of halophytes	Page 6-9

Chapter 7:

Table 1: Water quality objectives for the protection of wildlife.	Page 7-4
--	----------

Chapter 8:

Table 1: The estimated costs of installing, operating, and maintaining the solar evaporator and the estimated annual costs of land used for the evaporator, salt tolerant crops, forages and halophytes	Page 8-2
---	----------

List of Figures

Chapter 2:

Figure 1: Multiple stage sequential water reuse	Page 2-2
Figure 2: AndrewsAg IFDM. Sequential re-use, three stages (1035 acres)	Page 2-2
Figure 3: Red Rock Ranch IFDM. Sequential re-use, four stages (640 acres)	Page 2-3
Figure 4: Solar evaporator and water catchment basin.....	Page 2-10
Figure 5: Solar evaporator with salt concentrator and water catchment basins	Page 2-11
Figure 6: Evaporation rates throughout the year	Page 2-12

Chapter 3:

Figure 1: EM-38 survey equipment	Page 3-7
Figure 2: Salinity map created from EM-38 survey data (values represented in this map are ECe (dS/m).	Page 3-7

Chapter 5:

Figure 1: Salt accumulation in the San Joaquin Valley totals about 11 semi-trailers an hour at 25 tons per truck.	Page 5-2
---	----------

Chapter 7:

Figure 1: Bio-accumulation of selenium flow-chart for wildlife.	Page 7-3
--	----------

A Landowner's Manual

Managing agricultural irrigation drainage water:

*A guide for developing
Integrated On-Farm Drainage Management systems*



Chapter 1. General Information

I. Introduction

Chronic problems of salt, selenium, boron and other naturally occurring elements in surface and groundwater supplies plague agricultural regions throughout the Westside of the San Joaquin Valley and the western U.S. Compounding the problem is the build-up of salty subsurface groundwater resulting from dense clay layers and inadequate natural drainage.

The Integrated On-Farm Drainage Management (IFDM) system was developed to manage these problems. A state-of-the-art, yet practical irrigation management system, the IFDM provides for drainage water reuse to improve water availability for crop production and to minimize salt and selenium risks to water quality and the environment.

IFDM manages irrigation water on salt-sensitive, high value crops and reuses drainage water to irrigate salt-tolerant crops, trees and halophyte plants. Salt and selenium are removed from the farming system and can be marketed. This system views the subsurface drainage water containing salts and selenium as resources, rather

than considering them as wastes and environmental problems.

Simply stated, the grower sequentially reuses drainage water to produce crops with varying degrees of salt tolerance. A solar evaporator receives the final volume of drainage water; this water evaporates and salt crystallizes. Plants absorb selenium, which may be volatilized; or accumulate in the plant tissue. Of the remaining selenium some will remain in the soil and some will be contained in the final effluent to become a component of harvested salt. There is no discharge of salts and selenium into rivers or evaporation ponds. Drainage water, salts and selenium are managed on the farm.

The use of an IFDM system for salt and water management on drainage-impacted farmland has two primary objectives:

1. To use drainage water as a resource to produce marketable crops; and
2. To manage the salt and selenium in drainage water directly on-farm.


An IFDM system can serve as a viable alternative for landowners who may not choose

Chapter 1: Introduction

to participate in a voluntary land retirement program for drainage-impacted lands. Once the irrigation systems have been optimized to maximize water use efficiency and to minimize the production of subsurface drainage water, an IFDM system can be designed to enable the landowner to process the resulting drainage water on-farm.

II. This manual

This manual is part of an educational and outreach program to educate landowners on the advantages, disadvantages, costs, environmental regulations and other issues involving an IFDM system. A companion manual is being produced to provide technical consultants and support personnel with the tools they need to assist growers with developing and implementing an effective IFDM program.




The seven-year IFDM pilot system at Red Rock Ranch has demonstrated that the use of IFDM on a larger scale is possible and practical. Several farms and water districts, likewise, have developed IFDM systems in their areas.

The merits of IFDM have been recognized by the U.S. Environmental Protection Agency and the State Water Resources Control Board through the award of a Clean Water Act Section 319(h) Grant to educate farmers and to train professionals about IFDM implementation. This manual is funded by the grant, and it targets the needs of the landowners, water/drainage district managers, engineers and technical professionals.

III. History

The Westside of the San Joaquin Valley is plagued with a build-up of salts, selenium, boron and other naturally occurring elements. Fine-textured soil and dense, shallow clay layers allow the build-up of these salts and trace elements by preventing unused irrigation water from percolating into the deep aquifer. Growers in the region are faced with severe problems of high water tables and soil salinization.



Drainage canals have been used to capture subsurface saline drainage water. The IFDM system manages the saline drainage effluent on-farm.

Prior to 1986, drainage water collected from fields in western Fresno County was discharged into the San Luis Drain with the ultimate objective of disposal into saline Bay-Delta waters. However, the Drain was closed in 1986 due to public concern over the environmental degradation of the Bay-Delta, and waterfowl poisonings, which resulted from selenium contamination at Kesterson Reservoir. Without a viable way to drain the land, growers' options to purge their land of salts become severely limited. As the salts and boron encroach into the crop root zone, yields are reduced, crop choices are limited, and over time, crop production can become unprofitable. Likewise, water quality in the Sacramento-San Joaquin Bay-Delta estuary ecosystem is being impacted by the addition of salts, selenium and other elements from storm run-off and subsurface drainage that ultimately reaches the San Joaquin River. A total maximum daily load (TMDL) for selenium is being implemented for the upper San Joaquin River and TMDLs for salt and boron currently are under development for the river. It is clear that alternative methods for managing salinity are needed to ensure the long-term agricultural productivity of the region.

Since 1985, several water and resource management agencies have responded to the need, developing the IFDM system. IFDM evolved from the agroforestry concept and was developed by the Westside Resource Conservation District,

Chapter 1: Introduction

California Department of Water Resources, California Department of Food and Agriculture and the USDA-Natural Resources Conservation Service. Valuable research information has been contributed by the University of California, Davis and Riverside, California State University, Fresno and the USDA Salinity Lab in Riverside and Water Management Research Lab in Parlier, and staff from the Denver office of the U.S. Bureau of Reclamation. The Center for Irrigation Technology at California State University, Fresno is overseeing the preparation of these manuals and follow-up workshops on IFDM implementation. The Central Valley Regional Water Quality Control Board and U.S. Fish and Wildlife Service also have participated.

The pilot IFDM system was developed at Red Rock Ranch, owned by John Diener, in western Fresno County. Professional staff from several government agencies, universities, and consultants provide the required technical assistance.

The IFDM system has created conditions for economically viable and sustainable farming on the land that previously had severe salinity problems and consequently, reduced yields and productivity. Using the experiences from the Red Rock Ranch IFDM project, many growers are

interested in developing IFDM systems on their farms.

To date, IFDM projects are being considered for drainage-impacted areas on the Westside and in Kern County. Likewise, farmers and water districts in the Grasslands Drainage Basin have expressed interest in IFDM to help reduce drainage flows, selenium load levels and drainage effluent in their discharge outlets. The IFDM system offers benefits to water managers, farmers and political leaders by providing a practical example of integrated farming and engineering methods to protect the quality of rivers, groundwater resources, soils and the environment.

Moreover, the concepts within IFDM are consistent with local and regional water and drainage management plans. The Federal-State Interagency San Joaquin Valley Drainage Program's final report, *A Management Plan For Agricultural Subsurface Drainage and Related Problems on the Westside San Joaquin Valley*, September 1990, recommends several measures for managing subsurface agricultural drainage, which are employed by IFDM systems. The major components include source control (water conservation practices), sequential reuse of drainage water and the treatment and/or disposal of drainage water.